### GOVERNMENT OF ASSAM OFFICE OF THE SUPERINTENDENT::GAUHATI MEDICAL COLLEGE HOSPITAL **GUWAHATI::32**

Email-superintendentgmch@gmail.com/superintendent-gmch@gov.in, Phone No.0361-2529457

No. MCH/HMS/ARC/2016-17/170/Pt.-XIV/ \ 5

### Dated: 21 -01-2021

### NOTICE INVITING FOR TENDER

Sealed Tenders are invited from the intending Supplier/Manufacturer/Accredited Dealers for Supply of Branded Desktop Computers, Printers, Tonner Cartridge etc. in Mini Medical Store, GMCH. Guwahati-32.

The Tender is Two-Bid System i.e. 1.Technical Bid & ii. Price Bid, to be submitted with affixed Court Fee Stamp Rs.8.25 (Rupees eight point two five paisa) only (for local bidders) or IPO of Rs. 10/-(Rupees Ten) only (in case of bidders from outside of the State of Assam) in favour of the "Member Secretary, Hospital Management Society, Gauhati Medical College Hospital, Guwahati-781032.

## IMPORTANT DATES OF THE TENDER

Sl. No.	Scheduled	Start Date	Start Time	End Date	End Time
1.	Pre-Bid meeting	27-01-2021	2.00 PM	Gauhati Medica	Superintendent, al College Hospital, ahati-32
	Tender will be	28-01-2021	2.00PM	30-01-2021	2.00PM-
2.	received by under signed			Gauhati Medic	Superintendent, al College Hospital, /ahati-32
3.	Technical Bid Opening	31-01 -2021		1.00 PM	

SI No.	Description (Name of the Items)	Bid Security (E.M.D.)	Delivery/ Installation Schedule/ Completion period	Tender fees in Rs.	Eligibility
1.	Supply of Branded Desktop Computers, Printers, Tonner Cartridge etc. in Mini Medical Store, GMCH, Guwahati-32.	25, 000/- (Twenty Five thousand only)	10 days,	Rs.1000/- (One Thousand only)	Intending Supplier /Manufacturer/ Accredited Dealer

All other relevant information and the detailed Bid Documents are available on website www.gmchassam.gov.in and can be viewed from 22-01-2021. Bidders may also download the bid documents from the dedicated website and submit the bid against a demand draft amounting Rs.1000/- (Non refundable) (One Thousand) only drawn in favour of the Member Secretary, Hospital Management Society, GMCH, Guwahati-781032.

> Superintendent Cum Member Secretary, HMS, Gauhati Medical College Hospital, Suwahati-32

# Memo No. MCH/HMS/ARC/2016-17/170/Pt.-XIV/ 15 - ₽,

Copy forwarded for information to:-

1. The Director of Medical Education, Sixmile, Khnapara, Guwahati-22

2. The Principal -cum -Chief Superintendent & Chairman, Ex. Committee, HMS, GMCH.

3. The Director of Information & Public Relation of Assam with the request to publish the Tender Notice in 2 (two) widely circulate News Papers of Assam.

4. The F& AO, GMCH, Guwahati-32

5. Notice Board. College website: www.gmchassam.gov.in

6. Office file.

Superintendent Cum Member Secretary. HMS, Gauhati Medical College Hospital, Guwahati-32

Dated: 21-01-2021

## **CONTENTS**

SI No.	Name of Format	Numbers of Annexure
1	List of Items	Annexure-I
2	Format for Technical Bid	Annexure-II
3	Document Required for Technical Bid	Annexure-III
4	Format for Price Bid	Annexure-IV
5	Terms & Conditions	Annexure-V



		<u>Item Lis</u>	<u>Annextur</u>
SI No.	Item Name	Component	Specification
l.A	DESKTOP COMPUTER	Processor	9th Generation Intel Core i3 9100
	(BRANDED) SPECIFICATION	Chipset	Processor or higher Intel B/Q chipset or higher
	(i3 9th Gen ): BandName: HP, Lenovo & Accer	Memory	4GB DDR4 RAM (2666Mhz) or better with 4DIMM Slots expandable up to 128GB (3 DIMM slot should be Free).
		Hard Disk Drive	1 TB 7200 rpm SATAII (3Gb/s) or hig
		Hard Disk Controller	Integrated On-Board Hard Disk Contro supporting Serial ATA Interfaces
		Graphic	Integrated HD Graphic
		Monitor	21.5" Full IID 1920x1080 Monitor with TCO 08 Certified. (Same Brand of Desktop)
		PCI Express slots	4 PCI Express slots with minimum 2 PC x 16
		Audio	2 x 2Watt inbuilt speakers in the Monit
	-	Power Supply/SMPS	Minimum 250 Watt with 85 % Efficiency
		Optical Drive	Internal DVD Writer
i	¥	Key Board	USB Multimedia Keyboard Rupee Symbol ready isolated keyboard
		Key Board	USB 104 Keys or more Multimedia Keyboard Rupee
			Symbol ready isolated keyboard
		Mouse	USB Optical Scroll Mouse
		Network Card	Integrated on board Ethernet Controller 10/100/1000 with PXE support
		Interfaces	Minimum 10 USB (minimum 4 USB 3.1 and 1Type C USB Port) (4USB Port should be in front). Audio Ports, 1 VGA Port, 1 HDMI, 2 Display port (All Port should be part of the motherboard. No Converter).
		Cabinet	Micro tower at least 4 bays Internal/External Bays
		Audio Controller	Integrated on board audio controller
		Operating System	Win 10 Professional
		Certification	Energy Star, FCC/UL, EPEAT/ ROHS ISO 9000, ISO 14000, OEM ISO 20001 and ISO 27001.
18		Warranty	Minimum 12 months onsite OEM warranty.
		Drivers	All Drivers CD/DVD to be given along with Desktop
	DESKTOP COMPUTER	Processor	9th Generation Intel Core i3 9400 Processor or higher
	(BRANDED)	Chipset	Intel B/Q chipset or higher





(15	9th	Ge	n ).	,,,,,
nr.	and	Na	me:	HP.
Le	novi	S.	Ac	cer

I.C DESKTOP COMPUTER (BRANDED) SPECIFICATION

(i7 9th Gen) Brand Name: HP, Lenovo & Accer

Memory	4GB DDR4 RAM (2666Mhz) or better
	with 4DIMM Slots expandable up to
	128GB (3 DIMM slot should be Free).
Hard Disk Drive	1 TB 7200 rpm SATAII (3Gb/s) or higher
Hard Disk Controller	Integrated On-Board Hard Disk Controller
	supporting Serial ATA Interfaces
Graphic	Integrated HD Graphic
Monitor	21.5" Full HD 1920x1080 Monitor with
	TCO 08 Certified. (Same Brand of
	Desktop)
PCI Express slots	4 PCI Express slots with minimum 2 PCle
	x 16
Audio	2 x 2Watt inbuilt speakers in the Monitor
Power Supply/SMPS	Minimum 250 Watt with 85 % Efficiency
	or higher
Optical Drive	Internal DVD Writer
Key Board	USB Multimedia Keyboard Rupee
	Symbol ready isolated keyboard
Key Board	USB 104 Keys or more Multimedia
	Keyboard Rupee
	Symbol ready isolated keyboard
Mouse	USB Optical Scroll Mouse
Network Card	Integrated on board Ethernet Controller
	10/100/1000 with PXE support
Interfaces	Minimum 10 USB (ininimum 4 USB 3.1
	and Hype C USB Port) (4USB Port
	should be in front) Audio Ports, 1 VGA
	Port, 1 HDMI, 2 Display port (All Port
	should be part of the motherboard. No Converter).
Cabinet	Micro tower at least 4 bays
Cabinet	Internal External Bays
Audio Controller	Integrated on board audio controller
Operating System	Win 10 Professional
Certification	Energy Star, FCC/UL, EPEAT/ ROHS
	ISO 9000, ISO 14000, OEM ISO 20001
	and ISO 27001.
Warranty	and ISO 27001.  Minimum 12 months onsite OEM
Warranty	
Warranty	Minimum 12 months onsite OEM
	Minimum 12 months onsite OEM warranty.
	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along
Drivers	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along with Desktop
Drivers	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along with Desktop  9th Generation Intel Core i7 9700
Drivers Processor	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along with Desktop  9th Generation Intel Core i7 9700  Processor or higher  Intel B/Q chipset or higher  4GB DDR4 RAM (2666Mhz) or better
Drivers Processor Chipset	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along with Desktop  9th Generation Intel Core i7 9700  Processor or higher  Intel B/Q chipset or higher  4GB DDR4 RAM (2666Mhz) or better with 4DIMM Slots expandable up to
Drivers Processor Chipset	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along with Desktop  9th Generation Intel Core i7 9700  Processor or higher  Intel B/Q chipset or higher  4GB DDR4 RAM (2666Mhz) or better
Drivers Processor Chipset	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along with Desktop  9th Generation Intel Core i7 9700  Processor or higher  Intel B/Q chipset or higher  4GB DDR4 RAM (2666Mhz) or better with 4DIMM Slots expandable up to 128GB (3 DIMM slot should be Free).
Drivers Processor Chipset Memory Hard Disk Drive	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along with Desktop  9th Generation Intel Core i7 9700 Processor or higher  Intel B/Q chipset or higher  4GB DDR4 RAM (2666Mhz) or better with 4DIMM Slots expandable up to 128GB (3 DIMM slot should be Free).  1 TB 7200 rpm SATAII (3Gb/s) or higher
Drivers Processor Chipset Memory	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along with Desktop  9th Generation Intel Core i7 9700 Processor or higher  Intel B/Q chipset or higher  4GB DDR4 RAM (2666Mhz) or better with 4DIMM Slots expandable up to 128GB (3 DIMM slot should be Free).  I TB 7200 rpm SATAII (3Gb/s) or higher  Integrated On-Board Hard Disk Controller
Drivers Processor Chipset Memory Hard Disk Drive	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along with Desktop  9th Generation Intel Core i7 9700 Processor or higher  Intel B/Q chipset or higher  4GB DDR4 RAM (2666Mhz) or better with 4DIMM Slots expandable up to 128GB (3 DIMM slot should be Free).  1 TB 7200 rpm SATAII (3Gb/s) or higher
Drivers Processor Chipset Memory Hard Disk Drive Hard Disk Controller	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along with Desktop  9th Generation Intel Core i7 9700  Processor or higher  Intel B/Q chipset or higher  4GB DDR4 RAM (2666Mhz) or better with 4DIMM Slots expandable up to 128GB (3 DIMM slot should be Free).  1 TB 7200 rpm SATAII (3Gb/s) or higher Integrated On-Board Hard Disk Controller supporting Serial ATA Interfaces
Drivers Processor Chipset Memory Hard Disk Drive Hard Disk Controller Graphic	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along with Desktop  9th Generation Intel Core i7 9700  Processor or higher  Intel B/Q chipset or higher  4GB DDR4 RAM (2666Mhz) or better with 4DIMM Slots expandable up to 128GB (3 DIMM slot should be Free).  I TB 7200 rpm SATAII (3Gb/s) or higher Integrated On-Board Hard Disk Controller supporting Serial ATA Interfaces  Integrated HD Graphic
Drivers Processor Chipset Memory Hard Disk Drive Hard Disk Controller	Minimum 12 months onsite OEM warranty.  All Drivers CD/DVD to be given along with Desktop  9th Generation Intel Core i7 9700  Processor or higher  Intel B/Q chipset or higher  4GB DDR4 RAM (2666Mhz) or better with 4DIMM Slots expandable up to 128GB (3 DIMM slot should be Free).  1 TB 7200 rpm SATAII (3Gb/s) or higher Integrated On-Board Hard Disk Controller supporting Serial ATA Interfaces



1		
1	11	
1	V	
(	٠ _	-
•		

		PCI Express slots	4 PCI Express slots with minimum 2 PCIe
			x 16
		Audio	2 x 2Watt inbuilt speakers in the Monitor
		Power Supply/SMPS	Minimum 250 Watt with 85 % Efficiency or higher
İ		Optical Drive	Internal DVD Writer
- 1		Key Board	USB Multimedia Keyboard Rupee
	*	Rey Board	Symbol ready isolated keyboard
		Key Board	USB 104 Keys or more Multimedia
		Rey Board	Keyboard Rupee
			Symbol ready isolated keyboard
		Mouse	USB Optical Scroll Mouse
		Network Card	Integrated on board Ethernet Controller
			10/100/1000 with PXE support
	·	Interfaces	Minimum 10 USB (minimum 4 USB 3.1 and 1Type C USB Port) (4USB Port should be in front). Audio Ports, 1 VGA Port, 1 HDMI, 2 Display port (All Port should be part of the motherboard. No Converter).
		Cabinet	Micro tower at least 4 bays Internal/External Bays
		Audio Controller	Integrated on board audio controller
	in the second	Operating System	Win 10 Professional
		Certification	Energy Star, FCC/UL, EPEAT/ ROHS
		Certification	ISO 9000, ISO 14000, OEM ISO 20001 and ISO 27001.
	1 0 1	Warranty	Minimum 12 months onsite OEM
			warranty.
		Drivers	All Drivers CD/DVD to be given along
			with Desktop
2	600 VA UPS	UPS	600VA
		Rating Input Voltage	230 V
	y.	Voltage Rang	140-300VAC
		Frequency Range	50 Hz
		AC Voltage	10%
		Regulation(Batt.mode)	_
		Automatic Voltage	double Boost
	1	Regulation (AVR)	
	1 =	Regulation (AVR) Rated Current	4.5A
	- }:		
		Rated Current	
		Rated Current Frequency Range(Batt.Mode) Transfer Time	50Hz +1%
	•	Rated Current Frequency Range(Batt.Mode)  Transfer Time Waveform (Batt.Mode).  Surge Protection &	50Hz +1% 4 ms
		Rated Current Frequency Range(Batt.Mode)  Transfer Time Waveform (Batt.Mode).  Surge Protection & Filtering	50Hz +1%  4 ms Simulated Sine Wave All sockets
		Rated Current Frequency Range(Batt.Mode)  Transfer Time Waveform (Batt.Mode).  Surge Protection &	50Hz +1%  4 ms Simulated Sine Wave
		Rated Current Frequency Range(Batt.Mode)  Transfer Time Waveform (Batt.Mode). Surge Protection & Filtering Battery Type & Number Backup Time(One PC Load)	50Hz +1%  4 ms Simulated Sine Wave All sockets  12V/7AH*2 45 min.
		Rated Current Frequency Range(Batt.Mode)  Transfer Time Waveform (Batt.Mode). Surge Protection & Filtering Battery Type & Number Backup Time(One PC Load)  Typical Recharge Time	50Hz +1%  4 ms Simulated Sine Wave All sockets  12V/7AH*2 45 min.  8 hours up to 90% capacity
		Rated Current Frequency Range(Batt.Mode)  Transfer Time Waveform (Batt.Mode). Surge Protection & Filtering Battery Type & Number Backup Time(One PC Load)  Typical Recharge Time AC Mode	50Hz +1%  4 ms Simulated Sine Wave All sockets  12V/7AH*2 45 min.  8 hours up to 90% capacity Orange Lighting
		Rated Current Frequency Range(Batt.Mode)  Transfer Time Waveform (Batt.Mode). Surge Protection & Filtering Battery Type & Number Backup Time(One PC Load)  Typical Recharge Time AC Mode Battery Mode, Fault	50Hz +1%  4 ms  Simulated Sine Wave  All sockets  12V/7AH*2  45 min.  8 hours up to 90% capacity  Orange Lighting  Light Flashing or Beeping
		Rated Current Frequency Range(Batt.Mode)  Transfer Time Waveform (Batt.Mode). Surge Protection & Filtering Battery Type & Number Backup Time(One PC Load)  Typical Recharge Time AC Mode Battery Mode, Fault Battery Mode	50Hz +1%  4 ms  Simulated Sine Wave  All sockets  12V/7AH*2  45 min.  8 hours up to 90% capacity  Orange Lighting  Light Flashing or Beeping  Sounding every 10 seconds
		Rated Current Frequency Range(Batt.Mode)  Transfer Time Waveform (Batt.Mode). Surge Protection & Filtering Battery Type & Number Backup Time(One PC Load)  Typical Recharge Time AC Mode Battery Mode, Fault Battery Mode Low Battery	50Hz +1%  4 ms Simulated Sine Wave All sockets  12V/7AH*2 45 min.  8 hours up to 90% capacity Orange Lighting Light Flashing or Beeping Sounding every 10 seconds Sounding every seconds
		Rated Current Frequency Range(Batt.Mode)  Transfer Time Waveform (Batt.Mode). Surge Protection & Filtering Battery Type & Number Backup Time(One PC Load)  Typical Recharge Time AC Mode Battery Mode, Fault Battery Mode	50Hz +1%  4 ms  Simulated Sine Wave  All sockets  12V/7AH*2  45 min.  8 hours up to 90% capacity  Orange Lighting  Light Flashing or Beeping  Sounding every 10 seconds



3				Lovo m
1	-		Output Connection	O/P Terminals of standard quality should
				be provided. 04 Nos. of 5/15A/230V female ISI/ IEC Mark socket and all 4
				sockets
			Humidity	0-90% RH @ 0-40° non condensing.
			Noise level	Less than 45dB
			Cooling	Air cooled
			Warranty	2year for UPS and 2 year for battery
			Certificates Must be	BIS, ISO 9001, ISO 14001, certified.
			submitted	RoHS Compliance
-	-	A4 Single Function	Cartridge Technology	Composite Cartridge
	J.A	Printer	Printing Technology	Laser
		1 Times	Type of Printing	Mono
			Paper Size	A4
1				18ppm
		1	Print Speed Resolution (Dpi)	2400x600
				32
			Memory (MB) Processor Speed	192 MHz
				No
			Duplexing Feature Network Connectivity	No
١			Wireless Connectivity	No
			USB Port	Yes
			Number of Main Paper Trays	1
			Number of Man Paper 1989	
			Each Main Paper Tray	150
			Capacity	-
			Duty Cycle	5000
			Warranty	3 years
	3.B	A4 Multi Function	Type of Machine	Print, Scan and Copy
	"	Printer	Print Technology	Laser
		1.1	Type of Printing	Mono
			Cartridge Technology	Composite Cartridge
			Platen/Flatbed Size	A <sup>4</sup>
			Paper Size	A4/A4
			(Original/Image)	
			RAM size (MB)	512
			Minimum Speed	27
		1	Scanning Feature Availability	Yes
				Yes
			Duplexing Feature	res
			Availability Networking Feature	Yes
				163
			Availability  If yes, Type of Network	Ethernet 10/100
			Interface	<b></b>
			Wi-Fi Availability	Yes
			If yes ,Wi-Fi Type	Wi fi 802.11 b/g/n & Wi Fi Direct
			Duty Cycle	15000
			Warranty	3 years
	4	Copier Machine	Function	Print ,Scan, Copy
	4	Copier Machine	Туре	A4, A3 Monochrome Multifunction
			71.5	device
			Speed	20 ppm (A4) and 10ppm(A3)
	1		First Copy Time	7.4 secs
		-	Print	Standard Duplex
	141	4	Scan	DADF
		*	Memory	512 MB and Above
		- 0.0° - 2.5° 13° 10°.	Operational Panel	3.5 inch Backlight Touch Screen Panel
		- ALPERTAGE N	Interface	USB 2.0,
			# E - 1 C	Ethernet 100Base-Tx/10Base-T



	~
1	0
•	

		OS Compatibility	Windows 10 / 8.1 / 8 / 7 / Vista / XP, Windows Server 2003 / Server 2003 R2 / Server 2008, Mac OS X 10.6.X or later
		Power Consumption	Maximum 1.5 kW and 2W in sleep mood
1		Paper Handling:	
		Input capacity	250 Sheets
		Output Capacity	300 Sheets
		Magnification	25% - 400%
		Warranty	3 years
5 A	Projector (High )	Make	Epson (Preferable)
J.A.	INTERACTIVE		LCD Technology
	PROJECTOR	Projection System White Brightness (ANSI Lumens)	3400 ANSI lumens
		Color Brightness (ANSI Lumens)	3400 ANSI lumens
		Contrast Ratio	16000:1
		Light Source	Lamp
		Lamp	10,000 hrs durability (Eco Mode)
		·	5000 hrs durability (normal)
			215W
		Resolution	WXGA (1280 x 800)
		Aspect Ration	16:10
		keystone Correction	Manual vertical: ± 7°, Manual horizontal ± 5°
		Projection Ratio	0.48:1
		Zoom	Digital, Factor: 1 - 1.35 53 inches - 110 inches
		Image Size	0.5 m
		Projection Distance Wide Projection Distance Tele	1.2 m
		Focal Distance	6.4 mm
		Focus	Manual
	'	Offset	9.51:1
		USB Display Function	4 in 1: Image / Mouse / Sound / Interactivity
		Connectivity	USB 2.0 Type A, USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T),
		- L	Wireless LAN IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in, Composite in,
4	7 70 1	.,	Component in (2x), S-Video in, Stereo mini jack audio out, Stereo mini jack audio in (2x),
			Microphone input, Cinch audio in, Sync. in, Sync. out
		Feature	Built-in speaker, Customizable user logo,
		reature	Digital zoom, Dynamic lamp control, Horizontal and
ξ [Γ.			vertical keystone correction, Interactive, Long lamp life, Microphone input, Wireless LAN capable
4		Interactivity	Yes-Pen
П		Included Software	Easy Interactive Tools, Easy Monitor, Easy Multi PC Projection, Easy Network
7.	The state of the state of		1 1470
0.1			Projection
		Audio	16 W Loudspeaker
	4 4 4	Warranty	2 Voor Warrani
1		- Prójector	2 Year Warranty





	- Lamp	Vear / 1000 Hrs Warranty
(Normal)	Projection System	LCD Technology
Projector (Normal)	r rojection system	
INTERACTIVE	White Brightness (ANSI	Min 3200 ANSI lumens
PROJECTOR	Lumens)	
	Color Brightness (ANSI	Min 3200 ANSI lumens
	Lumens)	
	Contrast Ratio	16000:1
		Lamp UHE, 215W
	Light Source	10,000 hrs durability (Eco Mode)
	Lamp Life	5000 hrs durability (normal)
		XGA (1024 x 768)
	Resolution	
	Aspect Ration	4:03  Manual vertical: ± 15°, Manual horizonta
	keystone Correction	Manual vertical. ± 15 (Manual
		± 15 °
	Projection Ratio	0.55:1
	Zoom	Digital, Factor: 1 - 1.35
	Image Size	50 inches - 108 inches
	Projection Distance Wide	0.5 m (50 inch screen)
	Projection Distance Tele	1.3 m (108 inch screen)
	Focal Distance	6.4 mm
	Focus	Manual
	Offset	9.51:1
	USB Display Function	3 in 1: Image / Mouse / Sound
	Connectivity	USB 2.0 Type A, USB 2.0 Type B, RS- 232C, Ethernet interface (100 Base-TX /
		10 Base-1), Wireless LAN IEEE
		802.11b/g/n (optional), VGA in (2x),
		VGA out, HDMI in, Composite in,
		Component in (2x), S-Video in, Stereo
	dan da	mini jack audio out, Stereo mini jack
		audio in (2x), Microphone input, Cinch
		audio in
		Built-in speaker, Customizable user logo,
	Feature	Digital zoom, Dynamic lamp control,
		Horizontal and vertical keystone
		correction, Long lamp life, Microphone
		input, Wireless LAN capable
= 1		Quick Corner Feature
	Audio	16 W Loudspeaker
	Warranty	Min 2 years on projector & 1 year/1000
		hours on lamp.
6.A Dot- Matrix Pr	inter DMP 80 Column	9 Pin 80 Col,
6.A Dot- Matrix 11		Print Speed - 347 cps @ 12 cpi High
A THE STATE OF THE		Speed Draft,
		Input Data Buffer - 128KB,
		Ribbon life 4 mill characters,
		Print Head Life 400 mill strockes/wire,
		MTBF - 10,000 POH
		Copies 1+4 Copies, Interface - Bi-directional parallel (IEEE-
		Interface - Bi-directional paramet (TEEE
		1284 nibble mode supported). Serial
		1284 nibble mode supported), Serial
		Interface; USB 2.0 Full Speed,
		Interface; USB 2.0 Full Speed. Warranty 3 years
	inter DMP 9 pin ,136 Col	Interface; USB 2.0 Full Speed,
6.B Dot- Matrix Pr	inter DMP 9 pin ,136 Col	Interface; USB 2.0 Full Speed, Warranty 3 years 9 Pin 136 Col,
6.B Dot- Matrix Pr	inter DMP 9 pin ,136 Col	Interface; USB 2.0 Full Speed.  Warranty 3 years  9 Pin 136 Col,  Print Speed - 347 cps @ 12 cpi High Speed Draft,
6.B Dot- Matrix Pr	inter DMP 9 pin ,136 Col	Warranty 3 years  9 Pin 136 Col,  Print Speed - 347 cps @ 12 cpi High





(x
----

Print Head Life 400	mill stroot as tules
MTBF - 10,000 POI	
Copies 1+4 Copies.	
Interface - Bi-directi	ional parallel (IEEE-
1284 nibble mode st	ipported), Serial
Interface; USB 2.01	full Speed,
Warranty 3 years	
Warranty 5 years  Multifunction(Prin	Sean and Copy),
	n, sean and copys
(COLOUR MULTY Monochromate	LUSB 2.0 Host ( 2
FUNCTION LEGAL Standard Interface USB 2.0 High Speed ports), 10 / 100 Base	-T/1000 Base-T
	,-1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Ethernet	
Ink Mechanism Ink Tank	
Paper Size A4 and Legal	
Brand	
Warranty Minimum 1 year	
8 Tonner & Cartidge (i) HP tonner 12 A- Black Original Compitable	
(ii) HP tonner 12 A- Black   Compitable	
Gii) HP tonner 88A Original	
(iv) HP tonner 88A Compitable	
(v) HP Cartidge 80 2A Original	
Black	
(vi) HP Cartidge 803 Original	
Colour	
(vii) HP Cartidge 803 Original	
Black	<u>=</u>
(viii) Canon Cartidge 810 Original	
Black	
(ix) Canon Cartidge 811 Original	
Calour	
(x) Canon tonner 925Black Original	
C. Judda	
(xi) Canon tonner Compitable	
925Black	
(xii) Canon tonner 337 Original	=-
(XIII) Canon torner 337	
(XIV) Carlon Tomer 111	
(XV) Canon Tomer 1715	
(XVI) Calmon 111 G 57	_
Tonner  (wii) Sumsung Laser Original	
((XVII) Sumsting Editor	
Tonner X Press M 2021 (xviii) Sumsung Laser Compitable	
Tonner X Press M 2021	
(xix)Sumsung MLT 707L Original	
(xx) Sumsung MLT 707L Compitable	
(xxi) TVS Dot Matrix Original	
Printer Ribbon 80 Column	\
9/24	
(xxii)TVS Dot Matrix Compitable	
Printer Ribbon 80 Column	
9/24	
9/24 (i) Quick Heal Anti Virus	
9/24  9 Anti Virous  (i) Quick Heal Anti Virus Total Security for 10User/3	
9/24  9 Anti Virous  (i) Quick Heal Anti Virus Total Security for 10User/3 years (ii) Quick Heal Anti Virus	
9 Anti Virous (i) Quick Heal Anti Virus Total Security for 10User/3 years	-



		-	
		(iii) Quick Heal Anti Virus	
		Total Security for 3User/3	
		years	
1	•	(iv) Quick Heal Anti Virus	
		Total Security for single	
		User/3 years	
		(v) K7 Total Security 1	
		User /3 years	
		(vi) K7 Total Security	
		3User /3 years	
		(vii) K7 Total Security 5	
		User /3 years	
		(viii) K7 Total Security10	
		User /3 years	
10	Pen Drive	32 GB	
		64 GB	

128 GB

Superintendent cum Member Secretary

HMS, Gauhati Medical College Hospital, Guwahati-32

Annexure -II [Format for Technical Bid]

SI No.	Name of Item	Reputed Brand Name and Make Model	Component	Specification

Annexure -III [Document required for Technical Bid]

SI	Name of the	Documents Required	Submitted	Remarks
No	Firm		or Not	
1		1. Valid Trade License of local		
		municipal body/GMC		
		2. Valid GST Registration		
		3. Valid Authorised Dealership		
		Certificate from Reputed		
		Manufacturer.		
		4. Firm Should have their own		
		Computer hardware Shop.		
		5.Copy of ITR for last 3 years (i.e.		
		2018-19, 2019-20 & 2020-21)		
		6. Performance certificate		
		(previously supplied in Govt.		
		Institution) including copies of		
		supply order in favour of bidder.		
		7. Court fees of Rs. 8.25		
		8. EMD amounting to Rs. 25,000.00		
	· •	9. Tender Fee Rs. 1000.00		
		10. Product Catalogue, latest printed		
		Company price list and Technical		
		specification of quoted items.		
		11. An undertaking to the effect that		
		the company /firm /distributor is not blacklisted		
			13	
		the state of the s	1,00	
		12. Separate envelope for both technical and price bid.		

Annexure -IV [Format for Price Bid]

SI No.	Name of Item	Reputed Brand Name & Make Model	Component	Specification	Rate (Exclusive of GST)	Rate of GST (%)	Amount (Inclusive of GST)
						<u>J</u>	





## Terms & Conditions as follows:

For Supply of Branded Desktop Computers, Printers, Tonner Cartridge etc. in Mini Medical Store, GMCH, Guwahati.

1. The envelope containing the tender as well as subsequent communications should be addressed and delivered to:

The Superintendent cum Member Secretary, HMS, Gauhati Medical College Hospital Guwahati-781032

All communications must be addressed to the officer named above by title only and not by name.

- 2. Copy of Registration certificate, a copy of GST number along with latest income tax clearance certificate should be attached with the technical bid.
- 3. Conditionals & telegraphic tenders shall not be accepted at any cost.
- 4. An undertaking to the effect that the company /firm /distributor is not blacklisted should be attached with the tender.
- 5. The rates should be quoted at inclusive of GST mentioning the rate of GST. All tenders/quotations will be deemed to be for F.O.R. (Free on Road) destination at Gauhati Medical College Hospital, Guwahati including packing forwarding and insurance charges and not be ex-work, ex-godown, ex-miles etc.
- 6. A person signing the tender form or any other document forming the part of the contract on behalf of another shall be deemed to warranty that he has the authority to bind such other and if on the enquiry it appears that the person so signing had no authority to do so, the purchaser may without prejudice to other civil and criminal remedies against the contract, hold the signatory liable for all costs and damages and forfeit earnest money.
- 7. The tenders must be submitted in two parts (i) Technical bid (ii) financial bid separately. All documents required as per terms and conditions should be enclosed with technical bid only. Tenders not received in specified manner will be rejected. Separate quotation for each quoted item is required to be submitted.
- 8. Bid Guarantee and Security
- (a) The tender must be accompanied with refundable earnest money of Rs. 25,000/(Rupees twenty five thousand) only in a lump sum amount in the form of Demand
  Draft/Banker's Cheque/Fixed Deposit receipt in favour of the "Member Secretary,
  Hospital Management Society, Gauhati Medical College Hospital, Guwahati".

  Earnest money in other form will not be accepted. Bids not accompanied by earnest
  money as stated above or less than the amount stipulated. Bids not accompanied by
  earnest money as stated above or less than the amount stipulated above shall be
  summarily rejected.
- (b) Earnest money /security deposit any other sums of the Tenders lying with the Gauhati Medical College Hospital, Guwahati in connection with any other tender /case will not be considered against this tender.
- (c) The successful bidder shall be required to furnish performance Security of Rs. 25, 000/- (Rupees twenty five thousand) only by the firm in the form of fixed deposit Receipt duly hypothecated in favour of Member Secretary, HMS, GMCH. The performance security will be forfeited on the gross violations of tender norms by the successful bidders.
- (d) Performance security is compulsory and will have to be deposited by each successful bidder.



- 3
- (e) Earnest money deposited by unsuccessful bidder will be refunded after completion of performance security.
- (f) In case the successful bidder is found in breach of any condition/tender at any stage, legal action as per rules/law shall be forfeited after giving proper opportunity through show cause notice.
- 9. In case where full specification are not incorporated in the inquiry or where alternative specification required for by the suppliers own specifications should be stated in full for the articles quoted for. Any illustrative literature available duly stamped and signed should also be accompanied with tender. For such conditional tender, the decision of the hospital authority in this regard (accept or reject) shall be final and binding on all.
- 10. The maximum delivery period from the date of placing the order should be specified. There after this institute will be forced to charge 5% of the cost of items per week as penalty till receipt of the materials.
- 11. All quotation /tenders should be deemed valid for at least 01 (one) year or till the finalization of new tender whichever is earlier subject sole discretion of authority of GMCH.
- 12. Any request for increase in the approved rates will not be entertained for any reason for the contract period for any reason and the items required to be supplied by the contractor should strictly be in accordance with the sample approved.
- 13. The inspection for the goods will be carried out by the consignee at destination & rejected goods will have to be removed by you within 10 days of dispatch of advice from the undersigned failing which goods will live at your own risk (i) the rejected goods must be replaced by you within 10 days of the dispatch by consignee of registered notice intimating that goods have been rejected failing which the consignee will make risk purchase without any further reference to you (ii) If you claim that the goods supplied by you are strictly accordingly to the approved samples you may file the appeal with the Chairman where such appeal has been field the consignee with holding the goods with him till the final decision of Chairman Purchase Committee.
- 14. The supply must be completed satisfactory within the stipulated period, failing which the Store Purchase Officer/Chairman purchase committee reserve the right to purchase or allow the indenting officer to purchase goods at their risk provided that where goods were not supplied accordingly to the master pattern & not in accordance of the demand the indenting officer decides to retain the inferior goods.
- 15. The materials shall not be considered delivered until it is approved & received by the competent authority as defined from time to time by the purchase committee.
- 16. The rates shall not be finalized after exhibiting /demonstration of the materials, if required by the Technical Scrutiny Committee/Purchase Committee.
- 17. The Hospital authority reserves the right to reject any or all the bids or part or not to award the contract to the lowest bidder considering the samples. The decision of the hospital authority in this regard shall be final and binding on all.
- 18. If the price of the contracted articles is /are controlled by the Govt. the payment will in no case be allowed at higher rate than the quoted.
- 19. The quantity can be increased or decreased or all together abandoned as per the charged requirement of the department as well as availability of the funds.
- 20. Undersigned reserve the right to reject any or all the renders without assigning any reasons. GMCH does not pledge itself to accept the lowest or any other tender and reserve to itself the right of acceptance of the sole or any part of the tender or portion of the quantity offered and the Tenders shall be required to supply the same at rate quoted.



- (2)
- 21. Payment Schedule: Payment will be made after receipt of the bill containing certificate from the concerned department that the items/materials has been supplied by the firm is fully up to their satisfaction and according their specifications and subject to availability of fund.
- 22. TDS and other applicable taxes as per prevailing rates will be deducted at the time of making the payments.
- 23. No advance payment will be made any case.
- 24. Supply be made from the latest batch of production with the maximum lift period & original packing.
- 25. No revision is rate (On higher size) will not be accepted during the contract period.
- 26. No payment will be made for unsatisfactory supply.
- 27. Supply should be made in full the order and shortage will be procured on the Wisk & cost of the supplier.
- 28. Supply order will be placed at time to time according to requirement. The items are to be supplied at the site.
- 29. In case a proposal is accepted the firm shall sign an agreement with the while entry is to the rate contract.
- 30. While submitting the tender document the tender should specifically sign on each page of tender document.
- 31. The Hospital authority reserve to impose any other condition for regulating the contract in the public interest.
- 32. All disputes are subject to the jurisdiction of courts in Guwahati and agreement will be governed by and be construed in accordance with the laws of India.
- 33. Interested Firms/Parties will have to submit unconditional acceptances to the above terms and conditions at the time of submission of the quotation on the letter head of the firm.
- 34. The bidders who does not fulfill any of the above conditions and incomplete tenders are liable to be summarily rejected at the risk and cost of the bidder only and any further correspondence in this regard will not be entertained.

Note: Tenders must go through these and conditions very carefully and put his signature in token of acceptance of these terms and conditions. It is also made clear that no representation shall be considered after opening the financial bids except requiring any information by this office.  $\Lambda$ 

Superintendent cum Member Secretary, HMS, Gauhati Medical College Hospital,

\_\_\_\_\_\_ Guwahati-32

(Converter).